



中泰认证

## QUALITY MANAGEMENT SYSTEM CERTIFICATION

Registration NO: 29020Q00528-06R0S

Ningbo Weimai Safety Technology Co., Ltd.

Unified social credit code: 91330281MA2921LJ1D

Registered Address: No. 2 Tiger Mountain, Yaojiadian, Mingwei Village, Lizhou Street,  
Yuyao City, Zhejiang Province

Office Address: No. 2 Tiger Mountain, Yaojiadian, Mingwei Village, Lizhou Street,  
Yuyao City, Zhejiang Province

Production Address: No. 12, Zhenxing South Road, Economic Development Zone,  
Yuyao City, Zhejiang Province

Established Quality Management System Accord With

GB/T 19001-2016 idt ISO 9001:2015 standard

Through the certification scope is as follows

Production of self-priming filter anti-particulate mask (non-medical) and self-priming  
filter anti-gas mask

The release date for the first time: 04-06-2020

The issuance date: 04-06-2020

Will be valid until: 03-06-2021

Approval of the first surveillance audit	Approval of the second surveillance audit	Approval of the third surveillance audit
---	--	---

(This certificate within the period of validity at least once annually must accept  
supervision and audit, in order to be valid and post supervision qualified label.)



Issuer:



Certificate of limitation and applicability to the zhongtai Union Certification official website or call zhongtai Union Certification  
comprehensive query, this certificate information can also be in the national Certification and accreditation supervision and  
administration commission official website ([www.cnca.gov.cn](http://www.cnca.gov.cn)). No.1 Office Build, No.2, Baocer road, the The second  
paragraph, east third ring road, chenghua district, chengdu, sichuan (610052).



ZhongTai Union Certification Co., LTD.

Tel: +86 028-62521000 [www.ztccc.org](http://www.ztccc.org)

This certificate is valid only 90 days after the epidemic situation of new coronavirus infection and pneumonia has been resolved.

0012854



160010260248



(2016)国认监认字(099)号



中国认可  
国际互认  
检测  
TESTING  
CNAS L1499

# Test Report

Test Report No.: No.2020(Dust)-105(EN)

PRODUCT: KN95 DUST MASK


APPLICANT: Ningbo Weimai Security Technology.,Ltd

TEST TYPE: Applicant Test

THE NATIONAL QUALITY SUPERVISION  
AND TEST CENTER FOR PERSONAL  
PROTECTION EQUIPMENT (BEIJING)

(北京)

**The National Quality Supervision and Test Center for  
Personal Protection Equipment(Beijing)  
Test Report**



Test Report No.: No.2020 (Dust)-105 (EN)

Page 1 of 2

Product	KN95 DUST MASK	Brand	_____
Model	9002	Grade	KN95
Applicant	Ningbo Weimai Security Technology., Ltd.	Applicant Tel.	0574-62777588
Applicant Add.	No. 2 Tiger Mountain, Mingwei, Lizhou Street, Yuyao, Zhejiang P. R. China		
Manufacturer	Ningbo Weimai Security Technology., Ltd	Manufacturer Tel.	+86 574 62777588
Manufacturer Add.	No. 2 Tiger Mountain, Mingwei, Lizhou Street, Yuyao, Zhejiang P. R. China		
Sample Quantity	20pcs	Manufactured Date	2020. 02. 04
Sample Condition	Intact	Date Received	2020. 02. 06
Sample Characteristic	White mask	Sample Deliverer	Jet Huang
According to	GB2626-2006 《Respiratory protective equipment - Non-powered air-purifying particle respirator》		
Test items	Filter efficiency, Inhalation resistance, Exhalation resistance		
Conclusion	<p>The samples were tested in accordance with GB 2626-2006 《Respiratory protective equipment - Non-powered airpurifying particle respirator》, and data are listed in the test result summary.</p> <p style="text-align: right;">(Test report seal)</p> <p style="text-align: right;">Date : 2020. 2. 28</p>		
Note	As received		
<p>Approved by: 陈泽为      Verified by: 冯超      Inspected by: 杨</p>			




**The National Quality Supervision and Test Center for  
Personal Protection Equipment(Beijing)  
Test Report**

Test Report No.: No.2020 (Dust)-105 (EN)

Page 2 of 2

Page 2 of 2

No.	Test Item	Standard Clause	Requirement	Test Result			Conclusion	Note	
1	Filter efficiency	5.3	KN90 $\geq$ 90.0% KN95 $\geq$ 95.0% KN100 $\geq$ 99.97%  Flow conditioning: Single filter: (85 $\pm$ 4) L/min	Sample number		Initial filter efficiency ( $\eta$ )	Loading filter efficiency ( $\eta$ )	Pass (KN95)	——
						1#	99.8 %		
				As received	2#	99.8 %	99.8 %		
					3#	99.9 %	99.8 %		
					4#	99.8 %	99.8 %		
					5#	99.8 %	99.8 %		
					6#	99.9 %	99.8 %		
					7#	99.8 %	99.8 %		
					8#	99.8 %	99.8 %		
					9#	99.8 %	99.8 %		
			10#	99.9 %	99.8 %				
			KN: Ambient temperature: (25 $\pm$ 5) $^{\circ}$ C Relative humidity: 30 $\pm$ 10)%	Ambient temperature: 24 $^{\circ}$ C Relative humidity: 32 %					
2	Inhalation resistance	5.5	$\leq$ 350Pa	As received	16#	53 Pa	Pass	——	
			17#		59 Pa				
3	Exhalation resistance	5.5	$\leq$ 250Pa	As received	16#	47 Pa	Pass	——	
			17#		50 Pa				
Sample photo									
Note			——						

Test Date: From 2020.02.06 to-2020.02.12

End